

Producto: **Sumideros para piscinas de hormigón**

Product: **FRP main drain for concrete pool**



.Fabricado en resina de poliéster y fibra de vidrio.
.Acabado de la pieza con gel-coat.
.Reja en Acero inoxidable.
.Cumple con la normativa europea de no tener orificios superiores a 8 mm y no tener una velocidad superior a 0,5m/s.
.Se suministrará con salidas para encolar tubo de diámetro 75, 90 y 110 mm .
.Con válvula hidrostática opcional.

.Manufactured in polyester resin and fiber glass.
.Finished in gel-coat.
.Grill of stainless steel.
.It carry out with the european norm.The holes are inferior of 8mm and the speed is inferior of 0,5 m/s.
.It will be supplied of outlets to glue tube of 75, 90 and 110mm.
.Optional hidrostatic valve.

Producto: **Sumideros para piscinas de hormigón**

Product: **FRP main drain for concrete pool**

CARACTERÍSTICAS / CHARACTERISTICS

Tabla 1	Modelo de poliéster y fibra de vidrio 330mm x 330mm Model of polyester and FPR 330mm x 330 mm		
Código <i>Code</i>	20282	20283	20284
Reja <i>Grill</i>	Inox stainless steel	Inox stainless steel	Inox stainless steel
Conexión (Ø) <i>Connection (Ø)</i>	75	90	110
Caudal (m3/h) <i>Flow (m3/h)</i>	18	27	33,5
Peso Neto (kg) <i>Net weight (kg)</i>	5	5	5

EMBALAJE / PACKAGING

Modelo <i>Model</i>	Dimensiones <i>Box Dimension</i>	Volumen <i>Volume</i>
20282	0,4x0,4x0,3	0,047
20283	0,4x0,4x0,4	0,047
20284	0,4x0,4x0,5	0,047

Producto: **Sumideros para piscinas de hormigón**

Product: **FRP main drain for concrete pool**

Código	Ø	A (mm)	B (mm)	C (mm)	volumen
20282	75	330	252	245	0,047
20283	90	330	252	245	0,047
20284	110	330	252	245	0,047

